



Government of West Bengal
Office of the Chief Medical Officer of Health
Basirhat Health District

Phone : 03217 265673; Email : basirhtcmoh2016@gmail.com

Memo. No. BHAT/HD/2916

Date: 23/12/2022

NOTICE INVITING Quotation FOR ITEMS FOR ASHAS

Sealed quotation are hereby invited from bonafide Manufacturer / Firms/Supplier for supply of following items for ASHAs under Basirhat Health District.

The top of the envelope must be super-scribed with word **"Supply of Items for ASHAS"** and also mention the memo no. of the quotation notice containing two sub-envelope one for **"Technical Bid"** and other for **"Financial Bid"**.

Technical Bid must contains the attested photocopy of

1. Updated Trade License
2. GST Registration Certificate
3. PAN Card
- 4.

Financial Bid should be quoted on the letterhead pad including rate of the item, all taxes & delivery charges.

Last date of submission of the quotation fixed on 03.01.2023 up to 12 PM and the same will be opened on 03.01.2023 at 2 PM. Interested bidder may attend the opening of quotation.

The undersigned reserves the right to accept or reject the part or whole of the quotation, without assigning any reason thereof.

SL. No.	Item Name	Specification	Acc. Unit	Quantity to be procured (in Acc. Unit)
1.	Umbrella	Attached in Annexure-U & Annexure-M	Each	83 pieces
2.	Torch	Attached in Annexure-T	Each	83 pieces

Continue to page (2)

General terms & conditions.

- a) Total supply of the items have to be completed within 07 days from the date of receipts of the workorder.
- b) Govt. revenue & duties will be charged as applicable on total bill amount.

Memo. No. BHAT/HD/2916/1 (2)

Copy forwarded for publication on Notice Board to the:

1. Notice Board of this office.
2. Office copy.

P/23/1/422
Chief Medical Officer of Health
Basirhat Health District

Date: 23/12/2022

P/23/1/422
Chief Medical Officer of Health
Basirhat Health District

Annexure - U

• Specification for Umbrella:

Sl. No.	Technical Specification (Points)	Technical Specification Description
1	Material of Cloth	Nylon cloth material with Mild water proof Nylon
2	Color of Umbrella	Purple with Specific health message (the message will be provided by District).
3	Radius (Ceiling Cover) of Cloth	21 inches
4	GSM (Thickness) of Umbrella Cloth	190 (1) GSM (GSM Test Report of Umbrella cloth provided with sample)
5	Ribs quantity	8 ribs
6	Ribs Quality	Stainless Steel with golden ribs.
7	Handle	Plastic handle (4 to 5 inch.) with Rubber
8	Additional in Handle	One Nylon rope attached with handle bottom side with Steel Clip for Carrying Umbrella.
9	Umbrella Packing Cover	Nylon cloth material with Mild water proof Nylon.
10	Packing Cover	Regular Packing Cover
11	Locking System	Double Locking System
12	Folding System	Triple Folding System
13	Button System	Single Button System in Circle Shape
14	Locking System of Ceiling Cover	Plastic Cap fixing with Top of Umbrella
15	Material of Sliding Rod	Stainless Steel Ribs with nickel Polish.
16	Opening and closing System	Manual

Annexure - T

• Specification for LED Torch:

Sl. No.	Technical Specification (Points)	Technical Specification Description
1	Bulb	Bright White LED
2	Luminous Intensity	Minimum 25 lumen
3	Body	Strong durable plastic
4	Power Source	AA/AAA Size Battery
5	Warranty	Minimum 6 month Manufacturer Warranty.
6	product Dimension	6" L X 1" W
7	Beam Distance	50 meters

ছাতার আটটি অংশে কি কি লেখা বা ছবি থাকবে

১। NHM Logo

২। "ASHA" র জন্য

জাতীয় স্বাস্থ্য মিশন

স্বাস্থ্য ও পরিবার কল্যাণ দপ্তর, পশ্চিমবঙ্গ সরকার

কর্তৃক প্রদত্ত

৩। ASHA Logo

৪। ১৮ বছরের আগে বিয়ে নয়

২০ বছরের আগে বাচ্চা নয়।

৫। যদি সুস্থ মা ও শিশু চাও

তাহলে হাসপাতালে প্রসব করাও।

৬। মেয়ে হোক বা ছেলে

আনন্দে থাকো সবাই মিলে।

৭। ছোট শিশুকে ধরতে হলে

হাত ধুয়ে নাও সবার আগে।

৮। প্রথম ছ'মাস একমাত্র খাবার

মায়ের দুধের জুড়ি মেলা ভার।